

TECHNICAL SHEET



SUNBRELLA NATTE

Outdoor fabrics

CHARACTERISTICS	VALUES		UNITS	STANDARDS
	WARP	WEFT		

OVERALL CHARACTERISTICS

Composition	100% Sunbrella solution dyed acrylic			
Finish	Stain-resistant treatment: exclusive Glen Raven formulation. Does not contain PFOS (perfluorooctanyl sulphonate)			
Weave	Braided			ISO 7211-1
Weight	280		g/m ²	ISO 2286-1
Width	137		cm	EN 1773

FABRIC STRENGTH

Oil-repellent properties	5		class /8	ISO 14419
Tensile strength	180	100	daN	ISO 13934-1
Tear strength	13	10.5	daN	ISO 13937-1
Elongation at break	26	33	%	ISO 13934-1
Schmerber	90		mm	ISO 811
Spray test	5		class /5	ISO 4920
Stability on washing (40 °C)	-1.5	-1	%	ISO 5077
Abrasion (Martindale)	10.000		Nb cycles	ISO 12947-2
Air permeability	700		l/m ² /s	ISO 9237
Stitching strength	45	45	daN	ISO 13935-1

COLOUR RESISTANCE

Colour fastness UV	7/8		class /8	ISO 105 B02
Colour fastness weather condition	7/8		class /8	ISO 105 B04
Colour fastness under dry friction	5		class /5	ISO 105X12
Colour fastness under wet friction	5		class /5	ISO 105X12
Colour fastness 40°C washing	5		class /5	ISO 105 C06

USE

Roll length	50	lm	
Recommended use	Cushion, parasol and upholstery		
Guarantee	5	Years	

The values for this product may have a variation of +/-5%.
Stitch test carried out with 32pts/100mm, a 110 needle, and a 100% Pes 74 tex thread.

Dickson - Constant

10, rue des Châteaux - BP 109 - Z.I la Pilaterie 59443 Wasquehal cedex - France
Tél. : +33.(0)3.20.45.59.59 - Fax : +33.(0)3.20.45.59.00 - www.dickson-constant.com

